

Impacts of Common Therapeutants in the Pond Ecosystems and on the Physiology of Fish

Michael K. Stoskopf, DVM, PhD, D. ACZM
North Carolina State University

Watching the Bottomline

There isn't a magic bullet !

Watching the Bottomline

An ounce of prevention is worth a TON of
cure

Watching the Bottomline

Treatment is almost never cost effective
compared to prevention

Keys to Disease Prevention

- Disease free, conditioned stock
- Water Quality
- Pond Rotation
- Isolation

Watching the Bottomline

All drugs are not created equal

Keys to Appropriate Drug Use

- Accurate Diagnosis
- Correct Dose
- Proper Duration of Therapy
- Functional Route of Delivery

Focus of Talk

Antibiotics

Approved for Food Fish

Key Facts

- Antibiotics are only effective against bacterial infections and to a lesser degree some protozoal infections
- All antibiotics cause some negative physiologic impacts on the animal being treated

The Case For Caution

- Withdrawl Times and Harvest
- Ridding the ponds of contamination
- Creating drug resistant bacteria

Sulfadimethoxine

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

Sulfadimethoxine

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

Inhibits Folic Acid Synthesis

Aplastic Anemia

Hemolytic Anemia

Hypersensitivity

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

Ormetiprim

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

Ormetiprim

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

Inhibits Folic Acid Synthesis by another route

Anemias, Coagulation Disorders

Dermatitides

Renal Impairment

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

Sulfadimethoxine and Ormetiprim

- Half life in freshwater greater than 1 year
- Apparent Half life is shorter when water becomes cold, but the drug is still there and returns when the water re-heats.

Oxytetracycline

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

Oxytetracycline

Inhibits bacterial protein synthesis

GI Distress

Photosensitivity

Hepatotoxicity

Renal Toxicity

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

QuickTime™ and a
TIFF (Uncompressed) decompressor
are needed to see this picture.

Oxytetracycline

- Half life in fresh water longer with acid water (pH 3 ~ 42 days)
- Half life prolonged in cold water (4°C ~ 77 days)
- Half life decreased with exposure to light, increased temperature, exposure to organics.